
# Figure 26-1



**Figure** Error! No text of specified style in document.-1: Whois Service Network Diagram. By distributing Whois service across multiple resolution sites, Whois transactions are highly available and performed with low latency.


# Figure 26-2

Component	Implementation/Configuration
Load Balancers	<ul> <li>Deployed as a pair for maximum availability and resilience.</li> <li>Help ensure workload is evenly distributed across all systems within the SES gTLD resolution network.</li> </ul>
Layer-3 Switches	<ul> <li>Four switches are installed in Verisign's resolution network environment: two for front-office management, and two for back-office management.</li> <li>Switches provide both routing and switching for the SES gTLD environment across the front-office network.</li> </ul>
Terminal Servers	<ul> <li>Deployed as a pair of terminal servers to enable out-of-band management of all network hardware.</li> <li>Used in the event that primary network access is unavailable at Verisign's primary resolution sites.</li> </ul>
Virtual Private Networks (VPN)	<ul> <li>Pair of VPNs installed at each of Verisign's primary resolution sites for secure remote access to the installed systems.</li> </ul>
Commodity Servers	Supporting Whois data processing needs, each commodity server consists of the following specifications:

	<ul> <li>Two central processing units (CPUs)</li> <li>2 – 6 gigabytes (GB) random access memory (RAM) (as dictated by the server function)</li> </ul>
	2x73GB hard drive
Database Servers	Supporting Whois data processing needs, each database server consists of the
	following specifications:
	16 cores (4 x quad-core CPUs)
	• 64GB RAM
	5x73GB hard drive

**Figure** Error! No text of specified style in document.**-2: Whois IT and Infrastructure Resources.**Verisign uses a common Whois resolution network architecture at each primary site provisioning the Whois service.

### Figure 26-3



**Figure** Error! No text of specified style in document.-3: **Technical Overview.** *Verisign's Whois services are co-located at DNS locations.* 

### Figure 26-4

Query format: whois EXAMPLE.TLD
Response format:

Domain Name: EXAMPLE.TLD
Domain ID: D1234567-TLD
Whois Server: whois.example.tld
Referral URL: http://www.example.tld
Updated Date: 2009-05-29T20:13:00Z
Creation Date: 2000-10-08T00:45:00Z
Expiration Registry Expiry Date: 2010-10-08T00:44:59Z
Sponsoring Registrar: EXAMPLE REGISTRAR LLC
Sponsoring Registrar IANA ID: 5555555
Domain Status: clientDeleteProhibited
Domain Status: clientRenewProhibited

Domain Status: clientTransferProhibited Domain Status: serverUpdateProhibited

Registrant ID: 5372808-ERL

Registrant Name: EXAMPLE REGISTRANT

Registrant Organization: EXAMPLE ORGANIZATION

Registrant Street: 123 EXAMPLE STREET

Registrant City: ANYTOWN Registrant State/Province: AP Registrant Postal Code: A1A1A1

Registrant Country: EX

Registrant Phone: +1.5555551212 Registrant Phone Ext: 1234 Registrant Fax: +1.5555551213

Registrant Fax Ext: 4321

Registrant Email: EMAIL@EXAMPLE.TLD

Admin ID: 5372809-ERL

Admin Name: EXAMPLE REGISTRANT ADMINISTRATIVE Admin Organization: EXAMPLE REGISTRANT ORGANIZATION

Admin Street: 123 EXAMPLE STREET

Admin City: ANYTOWN Admin State/Province: AP Admin Postal Code: A1A1A1

Admin Country: EX

Admin Phone: +1.5555551212 Admin Phone Ext: 1234 Admin Fax: +1.5555551213

Admin Fax Ext: 4321

Admin Email: EMAIL@EXAMPLE.TLD

Tech ID: 5372811-ERL

Tech Name: EXAMPLE REGISTRAR TECHNICAL Tech Organization: EXAMPLE REGISTRAR LLC

Tech Street: 123 EXAMPLE STREET

Tech City: ANYTOWN
Tech State/Province: AP
Tech Postal Code: A1A1A1

Tech Country: EX

Tech Phone: +1.1235551234 Tech Phone Ext: 1234 Tech Fax: +1.5555551213

Tech Fax Ext: 93

Tech Email: EMAIL@EXAMPLE.TLD

Name Server: NS01.EXAMPLEREGISTRAR.TLD Name Server: NS02.EXAMPLEREGISTRAR.TLD

DNSSEC: signedDelegation

**DNSSEC:** unsigned

>>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure Error! No text of specified style in document.-4: Domain Name Data Object

#### Figure 26-5

Registrar Data

Query format: whois "registrar Example Registrar, Inc."

Response format:

Registrar Name: Example Registrar, Inc.

Street: 1234 Admiralty Way

City: Marina del Rey State/Province: CA Postal Code: 90292

Country: USA

Phone Number: +1.3105551212 Fax Number: +1.3105551213 Email: registrar@example.tld

Whois Server: whois.example-registrar.tld Referral URL: http://www. example-registrar.tld

Admin Contact: Joe Registrar Phone Number: +1.3105551213 Fax Number: +1.3105551213

Email: joeregistrar@example-registrar.tld

Admin Contact: Jane Registrar Phone Number: +1.3105551214 Fax Number: +1.3105551213

Email: janeregistrar@example-registrar.tld

Technical Contact: John Tech Phone Number: +1.3105551215 Fax Number: +1.3105551216

Email: johntech@example-registrar.tld

>>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure Error! No text of specified style in document.-5: Registrar Data Object

#### Figure 26-6

Name Server Data

Query format: whois "NS1.EXAMPLE.TLD" or whois "name server (IP address)"

Response format:

Server Name: NS1.EXAMPLE.TLD

IP Address: 192.0.2.123 IP Address: 2001:0DB8::1

Registrar: Example Registrar, Inc.

Whois Server: whois.example-registrar.tld Referral URL: http://www.example-registrar.tld

>>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure Error! No text of specified style in document.-6: Name Server Data Object

Figure 26-7

Potential Abusive Searchable Whois Risks	Verisign Risk Mitigation
Single Source Data Mining The mining of Whois data from a single IP address conducted through manual queries	Access Control Lists (ACL): Implementation of an ACL at the network layer to block the offending IP address for a specified period of time; viable option given a single unique IP address  Application Rate Limiting: Implementation of rate-limiting at the application layer to regulate the number of queries allowed from the source IP address for a specified period of time; viable option given a single unique IP address
Automated Data Mining Single Source: The mining of Whois data from a single IP address conducted through the use of automated scripts Distributed: The mining of Whois data from multiple sources/IP addresses conducted through the use of automated scripts, or, "botnets"	ACL and Application Rate Limiting as defined for single source data mining  Packet Inspection: Implementation of tools that analyze the incoming "get" request to determine whether the source is a valid user or whether the request is coming from an automated script or botnet; viable option based on "get" request signature  Completely Automated Public Turing Test To Tell Computers And Humans Apart (CAPTCHA) Techniques: Implementation of a challenge-response test prior to processing the request; viable option that limits ability to predict challenge-response; almost always requires manual interaction

Figure Error! No text of specified style in document.-7: Potential Searchable Whois Forms of Abuse and Mitigation. Verisign leverages its experience supporting the .name registry to build in to the system the safeguards necessary to minimize abusive Whois practices.