

**Figure 26-1: Whois Service Network Diagram.** *By distributing Whois service across multiple resolution sites, Whois transactions are highly available and performed with low latency.* 

| Component         | Implementation/Configuration   |
|-------------------|--|
| Load Balancers    | Deployed as a pair for maximum availability and resilience.  |
|                   | <ul> <li>Help ensure workload is evenly distributed across all systems within the .goo<br/>gTLD resolution network.</li> </ul>     |
| Layer-3 Switches  | Four switches are installed in Verisign's resolution network environment: two  |
|                   | for front-office management, and two for back-office management.   |
|                   | <ul> <li>Switches provide both routing and switching for the .goo gTLD environment<br/>across the front-office network.</li> </ul> |
| Terminal Servers  | <ul> <li>Deployed as a pair of terminal servers to enable out-of-band management of<br/>all network hardware.</li> </ul>           |
|                   | <ul> <li>Used in the event that primary network access is unavailable at Verisign's<br/>primary resolution sites.</li> </ul>       |
| Virtual Private   | Pair of VPNs installed at each of Verisign's primary resolution sites for secure   |
| Networks (VPN)    | remote access to the installed systems.  |
| Commodity Servers | Supporting Whois data processing needs, each commodity server consists of the following specifications:                            |
|                   | <ul> <li>Two central processing units (CPUs)</li> </ul>  |
|                   | <ul> <li>2 – 6 gigabytes (GB) random access memory (RAM) (as dictated by the<br/>server function)</li> </ul>                       |
|                   | 2x73GB hard drive  |
| Database Servers  | Supporting Whois data processing needs, each database server consists of the   |
|                   | following specifications:  |
|                   | <ul> <li>16 cores (4 x quad-core CPUs)</li> </ul>  |
|                   | • 64GB RAM   |
|                   | 5x73GB hard drive  |

**Figure 26-2: Whois IT and Infrastructure Resources.** *Verisign uses a common Whois resolution network architecture at each primary site provisioning the Whois service.* 




Figure 26-3: Technical Overview. Verisign's Whois services are co-located at DNS locations.

Domain Name Data Query format: whois EXAMPLE.TLD Response format: Domain Name: EXAMPLE.TLD Domain ID: D1234567-TLD Whois Server: whois.example.tld Referral URL: http://www.example.tld Updated Date: 2009-05-29T20:13:00Z Creation Date: 2000-10-08T00:45:00Z Expiration Registry Expiry Date: 2010-10-08T00:44:59Z Sponsoring Registrar: EXAMPLE REGISTRAR LLC Sponsoring Registrar IANA ID: 5555555 Domain Status: clientDeleteProhibited Domain Status: clientRenewProhibited Domain Status: clientTransferProhibited Domain Status: serverUpdateProhibited Registrant ID: 5372808-ERL Registrant Name: EXAMPLE REGISTRANT Registrant Organization: EXAMPLE ORGANIZATION Registrant Street: 123 EXAMPLE STREET **Registrant City: ANYTOWN** Registrant State/Province: AP Registrant Postal Code: A1A1A1 **Registrant Country: EX** Registrant Phone: +1.5555551212 Registrant Phone Ext: 1234 Registrant Fax: +1.5555551213 Registrant Fax Ext: 4321 Registrant Email: EMAIL@EXAMPLE.TLD Admin ID: 5372809-ERL Admin Name: EXAMPLE REGISTRANT ADMINISTRATIVE Admin Organization: EXAMPLE REGISTRANT ORGANIZATION Admin Street: 123 EXAMPLE STREET Admin City: ANYTOWN Admin State/Province: AP Admin Postal Code: A1A1A1 Admin Country: EX Admin Phone: +1.5555551212 Admin Phone Ext: 1234 Admin Fax: +1.5555551213 Admin Fax Ext: 4321 Admin Email: EMAIL@EXAMPLE.TLD Tech ID: 5372811-ERL Tech Name: EXAMPLE REGISTRAR TECHNICAL Tech Organization: EXAMPLE REGISTRAR LLC Tech Street: 123 EXAMPLE STREET Tech City: ANYTOWN Tech State/Province: AP

Tech Postal Code: A1A1A1 Tech Country: EX Tech Phone: +1.1235551234 Tech Phone Ext: 1234 Tech Fax: +1.5555551213 Tech Fax Ext: 93 Tech Email: EMATL@EXAMPLE.TLD Name Server: NS01.EXAMPLEREGISTRAR.TLD Name Server: NS02.EXAMPLEREGISTRAR.TLD DNSSEC: signedDelegation DNSSEC: unsigned >>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure 26-4: Domain Name Data Object

**Registrar Data** Query format: whois "registrar Example Registrar, Inc." Response format: Registrar Name: Example Registrar, Inc. Street: 1234 Admiralty Way City: Marina del Rey State/Province: CA Postal Code: 90292 Country: USA Phone Number: +1.3105551212 Fax Number: +1.3105551213 Email: registrar@example.tld Whois Server: whois.example-registrar.tld Referral URL: http://www.example-registrar.tld Admin Contact: Joe Registrar Phone Number: +1.3105551213 Fax Number: +1.3105551213 Email: joeregistrar@example-registrar.tld Admin Contact: Jane Registrar Phone Number: +1.3105551214 Fax Number: +1.3105551213 Email: janeregistrar@example-registrar.tld Technical Contact: John Tech Phone Number: +1.3105551215 Fax Number: +1.3105551216 Email: johntech@example-registrar.tld >>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure 26-5: Registrar Data Object

Name Server Data

Query format: whois "NS1.EXAMPLE.TLD" or whois "name server (IP address)"

Response format:

Server Name: NS1.EXAMPLE.TLD IP Address: 192.0.2.123 IP Address: 2001:0DB8::1 Registrar: Example Registrar, Inc. Whois Server: whois.example-registrar.tld Referral URL: http://www.example-registrar.tld >>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure 26-6: Name Server Data Object

| Potential Abusive Searchable<br>Whois Risks   | Verisign Risk Mitigation   |
|---|--|
| Single Source Data Mining<br>The mining of Whois data from a<br>single IP address conducted through<br>manual queries   | Access Control Lists (ACL): Implementation of an ACL at the<br>network layer to block the offending IP address for a specified<br>period of time; viable option given a single unique IP address<br>Application Rate Limiting: Implementation of rate-limiting at the<br>application layer to regulate the number of queries allowed from<br>the source IP address for a specified period of time; viable option<br>given a single unique IP address   |
| Automated Data Mining<br>Single Source: The mining of Whois<br>data from a single IP address<br>conducted through the use of<br>automated scripts<br>Distributed: The mining of Whois<br>data from multiple sources/IP<br>addresses conducted through the<br>use of automated scripts, or,<br>"botnets" | ACL and Application Rate Limiting as defined for single source<br>data mining<br>Packet Inspection: Implementation of tools that analyze the<br>incoming "get" request to determine whether the source is a valid<br>user or whether the request is coming from an automated script<br>or botnet; viable option based on "get" request signature<br>Completely Automated Public Turing Test To Tell Computers And<br>Humans Apart (CAPTCHA) Techniques: Implementation of a<br>challenge-response test prior to processing the request; viable<br>option that limits ability to predict challenge-response; almost<br>always requires manual interaction |

**Figure 26-7: Potential Searchable Whois Forms of Abuse and Mitigation.** Verisign leverages its experience supporting the .name registry to build in to the system the safeguards necessary to minimize abusive Whois practices.