




Figure 26-1: Whois Service Network Diagram. By distributing Whois service across multiple resolution sites, Whois transactions are highly available and performed with low latency.

Component	Implementation/Configuration
Load Balancers	• Deployed as a pair for maximum availability and resilience. • Help ensure workload is evenly distributed across all systems within the .nextdirect gTLD resolution network.
Layer-3 Switches	• Four switches are installed in Verisign's resolution network environment: two for front-office management, and two for back-office management. • Switches provide both routing and switching for the .nextdirect gTLD environment across the front-office network.
Terminal Servers	• Deployed as a pair of terminal servers to enable out-of-band management of all network hardware. • Used in the event that primary network access is unavailable at Verisign's primary resolution sites.
Virtual Private Networks (VPN)	• Pair of VPNs installed at each of Verisign's primary resolution sites for secure remote access to the installed systems.
Commodity Servers	Supporting Whois data processing needs, each commodity server consists of the following specifications: • Two central processing units (CPUs) • 2 – 6 gigabytes (GB) random access memory (RAM) (as dictated by the server function) • 2x73GB hard drive
Database Servers	Supporting Whois data processing needs, each database server consists of the following specifications: • 16 cores (4 x quad-core CPUs) • 64GB RAM • 5x73GB hard drive

Figure 26-2: Whois IT and Infrastructure Resources. *Verisign uses a common Whois resolution network architecture at each primary site provisioning the Whois service.*




Figure 26-3: Technical Overview. *Verisign's Whois services are co-located at DNS locations.*

Domain Name Data

Query format: whois EXAMPLE.TLD

Response format:

Domain Name: EXAMPLE.TLD

Domain ID: D1234567-TLD

Whois Server: whois.example.tld

Referral URL: <http://www.example.tld>

Updated Date: 2009-05-29T20:13:00Z

Creation Date: 2000-10-08T00:45:00Z

Expiration Registry Expiry Date: 2010-10-08T00:44:59Z

Sponsoring Registrar: EXAMPLE REGISTRAR LLC

Sponsoring Registrar IANA ID: 5555555

Domain Status: clientDeleteProhibited

Domain Status: clientRenewProhibited

Domain Status: clientTransferProhibited

Domain Status: serverUpdateProhibited

Registrant ID: 5372808-ERL

Registrant Name: EXAMPLE REGISTRANT

Registrant Organization: EXAMPLE ORGANIZATION

Registrant Street: 123 EXAMPLE STREET

Registrant City: ANYTOWN

Registrant State/Province: AP

Registrant Postal Code: A1A1A1

Registrant Country: EX

Registrant Phone: +1.5555551212

Registrant Phone Ext: 1234

Registrant Fax: +1.5555551213

Registrant Fax Ext: 4321

Registrant Email: EMAIL@EXAMPLE.TLD

Admin ID: 5372809-ERL

Admin Name: EXAMPLE REGISTRANT ADMINISTRATIVE

Admin Organization: EXAMPLE REGISTRANT ORGANIZATION

Admin Street: 123 EXAMPLE STREET

Admin City: ANYTOWN

Admin State/Province: AP

Admin Postal Code: A1A1A1

Admin Country: EX

Admin Phone: +1.5555551212

Admin Phone Ext: 1234

Admin Fax: +1.5555551213

Admin Fax Ext: 4321

Admin Email: EMAIL@EXAMPLE.TLD

Tech ID: 5372811-ERL

Tech Name: EXAMPLE REGISTRAR TECHNICAL

Tech Organization: EXAMPLE REGISTRAR LLC

Tech Street: 123 EXAMPLE STREET

Tech City: ANYTOWN

Tech State/Province: AP

Tech Postal Code: A1A1A1

Tech Country: EX

Tech Phone: +1.1235551234

Tech Phone Ext: 1234

Tech Fax: +1.5555551213

Tech Fax Ext: 93

Tech Email: EMAIL@EXAMPLE.TLD
Name Server: NS01.EXAMPLEREGISTRAR.TLD
Name Server: NS02.EXAMPLEREGISTRAR.TLD
DNSSEC: signedDelegation
DNSSEC: unsigned
>>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure 26-4: Domain Name Data Object

Registrar Data

Query format: whois "registrar Example Registrar, Inc."

Response format:

Registrar Name: Example Registrar, Inc.

Street: 1234 Admiralty Way

City: Marina del Rey

State/Province: CA

Postal Code: 90292

Country: USA

Phone Number: +1.3105551212

Fax Number: +1.3105551213

Email: registrar@example.tld

Whois Server: whois.example-registrar.tld

Referral URL: <http://www.example-registrar.tld>

Admin Contact: Joe Registrar

Phone Number: +1.3105551213

Fax Number: +1.3105551213

Email: joeregistrar@example-registrar.tld

Admin Contact: Jane Registrar

Phone Number: +1.3105551214

Fax Number: +1.3105551213

Email: janeregistrar@example-registrar.tld

Technical Contact: John Tech

Phone Number: +1.3105551215

Fax Number: +1.3105551216

Email: johntech@example-registrar.tld

>>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure 26-5: Registrar Data Object

Name Server Data

Query format: whois "NS1.EXAMPLE.TLD" or whois "name server (IP address)"

Response format:

Server Name: NS1.EXAMPLE.TLD

IP Address: 192.0.2.123

IP Address: 2001:0DB8::1

Registrar: Example Registrar, Inc.

Whois Server: whois.example-registrar.tld

Referral URL: <http://www.example-registrar.tld>

>>> Last update of Whois database: 2009-05-29T20:15:00Z <<<

Figure 26-6: Name Server Data Object

Potential Abusive Searchable Whois Risks	Verisign Risk Mitigation
Single Source Data Mining The mining of Whois data from a single IP address conducted through manual queries	Access Control Lists (ACL): Implementation of an ACL at the network layer to block the offending IP address for a specified period of time; viable option given a single unique IP address Application Rate Limiting: Implementation of rate-limiting at the application layer to regulate the number of queries allowed from the source IP address for a specified period of time; viable option given a single unique IP address
Automated Data Mining Single Source: The mining of Whois data from a single IP address conducted through the use of automated scripts Distributed: The mining of Whois data from multiple sources/IP addresses conducted through the use of automated scripts, or, "botnets"	ACL and Application Rate Limiting as defined for single source data mining Packet Inspection: Implementation of tools that analyze the incoming "get" request to determine whether the source is a valid user or whether the request is coming from an automated script or botnet; viable option based on "get" request signature Completely Automated Public Turing Test To Tell Computers And Humans Apart (CAPTCHA) Techniques: Implementation of a challenge-response test prior to processing the request; viable option that limits ability to predict challenge-response; almost always requires manual interaction

Figure 26-7: Potential Searchable Whois Forms of Abuse and Mitigation. *Verisign leverages its experience supporting the .name registry to build in to the system the safeguards necessary to minimize abusive Whois practices.*